



Domestic violence: Exploration of education and training to support effective identification and management in practice contexts

Dr Parveen Ali, University of Sheffield, UK Dr Julie McGarry, University of Nottingham, UK

Background: Health context

- It is now recognised that DVA is a significant public health and societal issue
- DVA impacts on physical and psychological health and wellbeing
- Healthcare professionals are often on the front line of healthcare encounters with those who have experienced abuse
- Evidence suggests that healthcare professionals are often not well equipped or prepared to effectively meet the needs of those who have experienced abuse (McGarry & Nairn, 2015)

Background: Policy context

• Definition of DVA (Home Office, 2013)

 National Institute for Health and Care Excellence DVA and latterly Quality Standards (2014, 2016)

Nursing and Midwifery Council (NMC)

Background: Education context

• Development of incremental education, professional development and support McGarry et al (2015)

Perceptions of senior student nurses and preparation for transition to registrant

Burdett Trust for Nursing Award

Masks of resilience





- We will explore:
 - Nurses, midwives, pre-registration nursing and midwifery students' knowledge, attitudes, and practices
 - Working with survivors of IPV in contemporary health care contexts: preparation for transition to registrant
 - Intimate partner violence presentations in health care contexts: identifying and supporting qualified nurses in practice





Domestic Violence and Abuse: Nurses, midwives, pre-registration nursing and midwifery students' knowledge, attitudes, and practices

Dr. Parveen Ali

Dr. Julie McGarry

Aim of the Study

• To measure registered nurses' current level of knowledge, attitude and skills related to DV and its management.

• To measure registered midwives current level of knowledge, attitude and skills related to DV and its management.

• To determine pre-registration nursing and midwifery students' level of knowledge, attitude and skills related to DV and its management.

Methods


Research Design Cross-sectional Online Survey

Sample Size 952

Instrument Physician Readiness to Manage Intimate Partner Violence Survey (PREMIS)

Data Analysis Descriptive and Inferential

Who were our Respondents




Participants Gender

Registrants	Students
-------------	----------


 Male
 19
 16

 Female
 633
 238


 Total:
 652
 244




Which year of the programme are you in?




Training about domestic violence



How prepared you feel to:



How much do you feel you now know about



Arts based 'masks' project



Session 3

• Consider 'lessons' from recent studies

Opportunity for audience to consider 'what works' and 'for whom'

Challenges and opportunities

Houry, D., Kaslow, N. J., Kemball, R. S., McNutt, L. A., Cerulli, C., Straus, H., . . . Rhodes, K. V. (2008). Does Screening in the Emergency Department Hurt or Help Victims of Intimate Partner Violence? Annals of Emergency Medicine, 51(4), 433-442.e437.

NICE. (2014). Domestic violence and abuse: how social care, health services and those they work with can identify, prevent and reduce domestic violence and abuse. Retrieved from http://www.nice.org.uk/guidance/ph50

Sundborg, E., Saleh-Stattin, N., Wandell, P., & Tornkvist, L. (2012). Nurses' preparedness to care for women exposed to Intimate Partner Violence: a quantitative study in primary health care. *BMC Nursing*, 11(1), 1.

Julie.McGarry@nottingham.ac.uk

Parveen.ali@sheffield.ac.uk

@parveenazamali