

Improving fundamental care in hospitals: how priority setting drives research

Working with patients, public and service to identify priorities

Anya de longh

PPI Champion

Jane Ball


Principal Research Fellow

Collaboration for Leadership in Applied
Health Research and Care (Wessex)

Rationale for Priority Setting

- CLARHC funding for 3 years of research
- Theme and staff set, but scope for theme project
- Adapted existing methods for priority setting
- Identify & prioritise issues for research to improve fundamental care in hospitals


Methodology



Fundamentals of Care

- Nursing theory – Activities of Daily Living
- Department of Health – Essence of Care
- Patients perspective – measuring patient experience
- Effective delivery – staff view of what is most important to deliver care well
- Organisational factors – staffing, management, resources
- Outcomes/metrics – measuring the effect of what has been done

Pre-workshop engagement




Leading the fight against dementia

Short-list

Bladder & bowel related care/toileting	Safety and avoiding patient harms	Patient needs
Eating & drinking (hydration & nutrition)	Information about care/communication with pts	
Prevention & management of pain	Maintaining patient dignity	
Skin care (avoidance of pressure ulcers)	Monitoring condition/vital sign observations	
Individualised care/patient centred care (action)/interaction		Point of care
Staff attitudes/relationships with patients (nature of interaction)		
Nurse staffing		Staffing/organisation
Training/updating skills/CPD	Staff communication	
Working relationships/ Team work		
Ward management/leadership		

Workshop



The Priorities

- 1. Nurse staffing
- 2. Individualised patient care
- 3. Staff communication
- 4. Staff attitudes and relationships with patients
- 5. Information about care/communication

What next...

A horizontal bar composed of several colored segments: green, dark green, teal, orange, purple, and blue.

Mapping Research to Priorities

Nurse staffing research: programme overview

Professor Peter Griffiths



Workforce Research Group /
NIHR CLAHRC Wessex

How to respond to priorities....?

- Mapping existing research to priorities
- Identify evidence gaps
- Develop future research



Mid Staffordshire

NHS Foundation Trust



Search

Contact Us

[Home](#)

[About Us](#)

[For Patients](#)

[Visiting](#)

[Our Services](#)

[Get Involved](#)

[Work For Us](#)

[For GPs](#)

You are here: Home

Welcome

Mid Staffordshire NHS Foundation Trust provides healthcare for people in Stafford, Cannock, Rugeley and the surrounding areas, serving a local population of over 300,000 people.

The Trust manages two Hospitals, at Stafford and Cannock.



Latest News

'Mid Staffs Stars' Launch by Trust to Recognise Outstanding Staff

22 June 2012

The Trust has launched an awards scheme - Mid Staffs Stars to recognise and reward best practice at both its hospitals



[Read](#)

[Visiting a Patient?](#)

[How to Find Us](#)

[Our Vision](#)

[Feedback](#)

[Fundraising](#)



We welcome visitors and appreciate that your support can play a vital role in your relative or loved ones recovery.

Most of our wards have a two hour visiting slot in the afternoon and again in the evening. Please check the times for each ward below.

Help us to fight infections, use the alcohol gel to clean your hands before you enter and after you leave the ward.

[▶ Visiting Times](#)

[▶ Facilities](#)

[▶ Parking](#)

Children's Web Page



If you are coming in to hospital and are staying on the Shugborough Ward, you can find out what to expect.

[More Info](#)



iWantGreatCare

Staffordshire Prepared



Stafford Hospital
Weston Road
Stafford
ST16 3SA
Tel: 01785 257731

Cannock Chase Hospital
Brunswick Road
Cannock
WS11 5XY
Tel: 01543 572757

Evidence for the association between nurse staffing levels and patient outcomes

- “**...compelling...**”
 - (UK Royal College of Nursing, 2010)
- “**...overwhelming...**”
 - (US Joint Commission, 2005 p105)

NICE Safe staffing guideline (SG1) 2014

- *“There is a lack of high-quality studies exploring and quantifying the relationship between registered nurse and healthcare assistant staffing levels and skill mix and any outcomes”*

Key gaps

- High quality studies *quantifying* the relationship between registered nurse and HCA staffing levels / skill mix in a UK context
 - Staffing *levels*
 - Direct *linkage* (cause / effect)
- Toolkits / staffing methodologies
- Approaches to organizing care delivery
- Non safety outcomes
- Organisational policies / practices / procedures

Our ongoing research programme

Does missed care mediate the relationship between staffing levels and outcomes?

- Secondary analysis of cross sectional data from RN4CAST
- **Nurse reported clinical ‘care left undone’ partially** accounts for the relationship between low nurse staffing levels and increased mortality
- **Supports ‘missed care’ as a nursing indicator**
- (PhD study, Jane Ball @ Karolinska Institutet – submitted for publication)

Nurse staffing levels, missed vital signs observations and mortality in hospital wards (HS&DR 2015-2017)

- modelling the consequences and costs of variations in nurse staffing and skill mix at ward level
- explores the effect of specific staffing levels on different ward types
- Improve *causal* inference
 - because it measures prospect relationships
 - by measuring a key *mechanism* (*timely observation*)
- *Missed care as a possible quality indicator?*
- *Headline finding mortality & missed vital signs observations are increased when patients are exposed to staffing below planned level for ward....*

Shift patterns (NIHR CLAHRC studentship)

- Association between nurse shift patterns (including 12 hour shift)
 - Job performance (measured by vital signs compliance)
 - Sickness / absence
 - Costs

Shows rates of nurse sickness / absence increased with **more 12 hour shifts... using objective data for the first time,,**

Has implications for costs and nurse well being

Effect on job performance coming soon (completing summer 2017)

Nurse staffing and Quality of Interactions

- A secondary analysis of data from the study “Creating Learning Environments for Compassionate Care” (pilot trial – HS&DR funded)
- Is there an association between nurse staff levels / skill mix and the quality of *interpersonal care*...
- *Headlines*
 - *Negative interactions increase when staffing levels are lower*
 - *While the negative interactions are not associated with any particular staff group findings suggest that problems rise sharply when skill mix is low*

Modelling the costs and consequences of using the Safer Nursing Care Tool (Shelford Tool HS&DR funded – End 2018)

- Determine the costs / consequences of staffing to tool recommendations
- Model the feasibility & costs of different approaches to setting base staffing levels
- Explore flexible staffing models to meet varying patient need
- Provides a first independent validation of the tool

Implementation, impact and costs of policies for safe staffing in acute trusts (PRP funded, reports end 2018)

- Describe how post Francis safe staffing policies have been implemented locally & nationally
- Determine the associated costs of policy implementation :
 - Mixed methods study using a national survey, routine data and **in-depth analysis in 4 case study trusts...**
 - Includes economic evaluation & realist evaluation to generate theory about policy implementation
 - *“What works, for whom, in what respects, to what extent, in what contexts, and how?”*

Conclusions

- Staffing research was NOT a priority for future CLAHRC projects



Sources / additional info – recent papers from Southampton team (post NICE)

- BALL, J. E., GRIFFITHS, P., RAFFERTY, A. M., LINDQVIST, R., MURRELLS, T. & TISHELMAN, C. 2016. A cross-sectional study of 'care left undone' on nursing shifts in hospitals. *Journal of Advanced Nursing*, n/a-n/a.
- BARKER, H. R., GRIFFITHS, P., MESA-EGUIAGARAY, I., PICKERING, R., GOULD, L. & BRIDGES, J. 2016. Quantity and quality of interaction between staff and older patients in UK hospital wards: A descriptive study. *Int J Nurs Stud*, 62, 100-107.
- BLOMBERG, K., GRIFFITHS, P., WENGSTROM, Y., MAY, C. R. & BRIDGES, J. 2016. Interventions for compassionate nursing care: a systematic review. *International Journal of Nursing Studies*, in press.
- **DALL'ORA, C., BALL, J., RECIO-SAUCEDO, A. & GRIFFITHS, P.** 2016. Characteristics of shift work and their impact on employee performance and wellbeing: A literature review. *International Journal of Nursing Studies*, 57, 12-27.
- DALL'ORA, C., GRIFFITHS, P., BALL, J., SIMON, M. & AIKEN, L. H. 2015. Association of 12 h shifts and nurses' job satisfaction, burnout and intention to leave: findings from a cross-sectional study of 12 European countries. *BMJ Open*, 5.
- GERMACK, H. D., GRIFFITHS, P., SLOANE, D. M., RAFFERTY, A. M., BALL, J. E. & AIKEN, L. H. 2015. Patient satisfaction and non-UK educated nurses: a cross-sectional observational study of English National Health Service Hospitals. *BMJ Open*, 5.
- **GRIFFITHS, P., BALL, J., DRENNAN, J., DALL'ORA, C., JONES, J., MARUOTTI, A., POPE, C., RECIO SAUCEDO, A. & SIMON, M.** 2016. Nurse staffing and patient outcomes: Strengths and limitations of the evidence to inform policy and practice. A review and discussion paper based on evidence reviewed for the National Institute for Health and Care Excellence Safe Staffing guideline development. *International Journal of Nursing Studies*, online early <http://dx.doi.org/10.1016/j.ijnurstu.2016.03.012>.
- GRIFFITHS, P., BALL, J., MURRELLS, T., JONES, S. & RAFFERTY, A. M. 2016. Registered nurse, health care support worker, medical staffing levels and mortality in English hospital Trusts: a cross-sectional study. *BMJ Open*, 5, e008751.
- GRIFFITHS, P., DALL'ORA, C., SIMON, M., BALL, J., LINDQVIST, R., RAFFERTY, A. M., SCHOONHOVEN, L., TISHELMAN, C., AIKEN, L. H. & RN4CAST CONSORTIUM 2014. Nurses' shift length and overtime working in 12 European countries: the association with perceived quality of care and patient safety. *Med Care*, 52, 975-81.
- LINDQVIST, R., SMEDS ALENIUS, L., GRIFFITHS, P., RUNESDOTTER, S. & TISHELMAN, C. 2015. Structural characteristics of hospitals and nurse-reported care quality, work environment, burnout and leaving intentions. *J Nurs Manag*, 23, 263-74.
- MURRELLS, T., BALL, J., MABEN, J., ASHWORTH, M. & GRIFFITHS, P. 2015. Nursing consultations and control of diabetes in general practice: a retrospective observational study. *Br J Gen Pract*, 65, e642-8.

Improving Fundamental Care in Hospitals

Lisette Schoonhoven

Professor of Nursing

Collaboration for Leadership in Applied
Health Research and Care (Wessex)

The priorities



1. Nurse staffing
2. Individualised patient care
3. Staff communication
4. Staff attitudes and relationships with patients
5. Information about care/communication

Evidence

A horizontal bar composed of several colored segments: green, dark green, orange, purple, and blue.

- Lack of evidence
- Common sense solutions without evaluation
- Incomplete implementation
- Lack of theory

Fundamental care

Is generic across medical conditions and care settings

Serves next to all people in their lifetime

Synonyms: essential care, basic care

Fundamental care is not simple and easy

- Complex interplay between physical, psychosocial and relational elements (Kitson et al 2013)
- Example: elimination



Physical	Psychosocial	Relational
Use of devices and equipment to support elimination	Self-esteem, dignity, humiliation	Respect and support to maintain sense of dignity and self esteem

Patient centred care




The ladder of participation



Source: Adapted from Arnstein's A Ladder of Participation, Hart & Groundswell

Improving fundamental care



Poor fundamental care associated with adverse outcomes

Pressure ulcer prevention

1. Range of fundamental care activities
2. Major burden
3. Expertise



Creating Learning Environments for Compassionate Care (CLECC)




*National Institute for
Health Research*

- Focus on developing leadership and team practices that enhance team capacity to provide compassionate care
- Aims to develop and embed sustainable manager and team practices:
 - Dialogue
 - Reflective learning
 - Mutual support
- 3 month training programme
 - Practice educator will facilitate
 - Classroom training
 - Training on the job (cluster discussions, reflective discussions)
 - Monthly ward manager action learning sets

Tell-Us card

- Uncomplicated, structured tool to invite patients to write down their goals/preferences for care




The image shows a 'Tell-Us card' form. At the top, it says 'Tell us what is important for you today or before discharge. It is important that you have the knowledge you need and that you are involved in your care. Please use the space on the opposite side of this card and write down your questions and concerns.' Below this, there are two sections for writing: 'a) This is important for me today' and 'b) This is important for me before discharge'. Each section has several horizontal lines for writing. The NHS logo is visible in the bottom right corner of the card.


Tailoring

- Use of algorithm to support decision making
- Include risk factors
- Patient's needs and preferences are missing

FLOW CHART FOR PREVENTION AND MANAGEMENT OF PRESSURE INJURY



Intervention



Methodology

- **Work package 1:** To adapt PrevPlan and the Tell-Us Card to ensure they incorporate patient preferences with guideline recommendations for pressure ulcer prevention and deliver a care plan that can be used by patients, carers and nursing staff in the UK context.
 - Extending Prev-Plan: mobility, skin care, continence and nutrition
 - Developing patient information
 - Co-development of interventions (working groups)
 - *Gaining understanding*
 - *Testing prototypes*
 - *Polishing final version*

Methodology

- **Work package 2:** To determine the feasibility and acceptability of the combined use of CLECC, PrevPlan and the Tell-Us Card to patients, carers and nursing staff.
 - 2 trusts, 6 wards
 - 3 months implementation period
 - Observations, surveys, interviews



Methodology

- **Work package 2:** To determine the feasibility and acceptability of the combined use of CLECC, PrevPlan and the Tell-Us Card to patients, carers and nursing staff.
 - Outcomes:
 - Patient perception of patient-centredness of care
 - Nurses' perception of patient-centredness of care
 - Quality of staff-patient interactions
 - Relevant fundamental care activities
 - PU & Cost (secondary)
- Project will run until end of 2018

Team

- **Ms Jane Ball**
- **Professor Jackie Bridges**
- **Ms Ewa Crunden**
- **Dr Lisa Gould**
- **Dr. Sue Green**
- **Professor Peter Griffiths**
- **Dr. Jo Hope**
- **Ms Anya de longh**
- **Professor Carl May**
- **Dr. Greta Westwood**
- **Dr. Peter Worsley**

Questions?

A horizontal bar composed of several colored segments: green, dark green, teal, orange, purple, and blue.