



Royal College
of Nursing

Lost in transition

*Moving young people between child and
adult health services*





Acknowledgements

The Royal College of Nursing would like to thank all of those involved in the development of the original publication which arose from an agenda item at RCN Congress in 2007. In particular we would like to thank:

Paula Lavis, Policy and Knowledge Manager, YoungMinds

Andrea Knock, Community District Nurses Association

Jonathon Mimmagh, Paediatric Diabetes Specialist Nurse

Marcelle de Sousa, Chair, Adolescent Health Forum

The RCN Staying Healthy Forum includes those members who have an interest in care aimed at promoting positive physical, mental and emotional health and wellbeing in all children and young people.

The communities linked to this forum are:

Adolescent Health

CYP Mental Health

School Nurses

(including independent school nurses)

Safeguarding Children and Young People

Children in Care Nurses

Health visiting.

More information can be found at www.rcn.org.uk

This document has been revised in 2013 to reflect a number of current political and professional issues and initiatives.

This publication is due for review in November 2015. To provide feedback on its contents or on your experience of using the publication, please email publications.feedback@rcn.org.uk

RCN Legal Disclaimer

This publication contains information, advice and guidance to help members of the RCN. It is intended for use within the UK but readers are advised that practices may vary in each country and outside the UK.

The information in this publication has been compiled from professional sources, but its accuracy is not guaranteed. Whilst every effort has been made to ensure the RCN provides accurate and expert information and guidance, it is impossible to predict all the circumstances in which it may be used. Accordingly, to the extent permitted by law, the RCN shall not be liable to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by what is contained in or left out of this information and guidance.

Published by the Royal College of Nursing, 20 Cavendish Square, London, W1G 0RN

© 2013 Royal College of Nursing. All rights reserved. Other than as permitted by law no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, mechanical, photocopying, recording or otherwise, without prior permission of the Publishers or a licence permitting restricted copying issued by the Copyright Licensing Agency, Saffron House, 6-10 Kirby Street, London EC1N 8TS. This publication may not be lent, resold, hired out or otherwise disposed of by ways of trade in any form of binding or cover other than that in which it is published, without the prior consent of the Publishers.

Lost in transition

Moving young people between child and adult health services

Contents

1	Introduction	4
2.	Principles of good practice in arranging transitions	5
2.1	Service provision	5
2.2	Process and protocols	6
2.3	Keyworkers' roles in transition	8
2.4	Education and training	9
3.	Young people's involvement	10
4.	The Royal College of Nursing calls for...	11
5.	References	12
6.	Further reading	13

1

Introduction

Transition, in the context of this publication, is the purposeful, planned movement of adolescents and young adults with chronic physical and medical conditions from child-centred to adult-orientated health care systems (Blum et al 1993).

Children and young people experience many significant transition points between health care services, as well as those between schools, university and other educational settings. Thirty percent of children and young people also experience transitions in relationships as a result of parental separation, divorce or remarriage. Together, all these transitional phases can have an impact on adherence to therapeutic regimes and retention by supportive health care services.

The journey from adolescence into adulthood is a particularly challenging time for all young people from biological, social and psychological perspectives. For young people with any form of disability, long-term conditions or significant mental health problem, this is made even more difficult. As they move between different health care services, they will find significant differences in the expectations, style and culture of these services, while their own care needs will be evolving at the same time (NCCSDO, 2002).

A number of recent position statements and reports from professional bodies identify this as an important area for consideration in caring for children and young people. These include: the Society for Adolescent Medicine (2003), the Royal College of Paediatrics and Child Health (2003), the Royal College of Nursing (2013) and the Welsh Health Circular (WHC(2002) 125), as well as an extensive report from the National Co-ordination Centre for NHS Service Delivery and Organisation, which reviews the components of practice that promote continuity in the transition period (NCCSDO, 2002).

2

Principles of good practice in arranging transitions

1. Service provision

The Royal College of Nursing has the following standard on service provision.

- Services need to be flexible and based on the needs of the young person, rather than focused on the needs of the service.
- Local services must work together, along with the young people and their families, to plan the transition. This includes working with mental health services where necessary, including child and adolescent mental health services, adult mental health services and emergency inpatient services.
- Service providers should examine the way transition services are delivered. Services may need to be re-designed so that they truly meet the needs of this client group. More recently the concept of co-production and co-design have been successful models of engaging young people to manage their long-term conditions such as sickle cell disease. In order to reduce missed appointments, and so that young adults are engaged in their own treatment, services should be accessible and acceptable to these patients. For example, drop-in clinics and online information can make a service more accessible and approachable.
- In planning to meet an individual's needs, NHS and social services providers should not overlook the services available locally from the voluntary sector. The development and use of apps and social media is also an opportunity to co-design and engage adolescents. This has been particularly explored in conditions such as asthma and diabetes.

Transition in mental health services

The upper threshold for accessing Child and Adolescent Mental Health Services (CAMHS) can be different from the entry threshold for Adult Mental Health Services. A young person may be too young for adult services, but may not be able to access CAMHS because they are too old.

Government policy states that CAMHS should be accessible to young people until their eighteenth birthday. This is a current proxy measure for the public service agreement (PSA) target of a comprehensive mental health service for children and young people. Transitional services need to be up and running now to help young people in this age group.

The Adult Mental Health National Service Framework (NSF) requires services to have a transition protocol. Again, such protocols should be functioning now. The Mental Health Act 2007 requires young people under 18 to be in a suitable environment, subject to their needs.

Recommended standards:

- young people's needs are paramount
- transitional points are set as recommended in the English and Welsh National Service Frameworks, and some flexibility is built in to meet individual needs
- young people can access children and young people's specialist and mental health services, whatever their educational status
- where children and young people are admitted to adult inpatient areas, full consideration is given to child protection issues
- all services use means of access and venues which suit young people, in tertiary, secondary and primary care settings.

Case study: falling between the gaps

Stephen is a 16 year old boy who was referred to a CAMHS provider by his GP, who was concerned about Stephen's mood and the possibility that he might be suffering from depression. The GP identified particular symptoms which warranted referral to CAMHS, including problems with sleep, early morning waking, being tired all of the time and loss of weight, as well as the level of Stephen's alcohol intake and occasional drug misuse. At the time of the referral Stephen was at school, but by the time he was assessed by CAMHS staff six weeks later, he had withdrawn from school

In the area where Stephen lived there was no commissioned mental health service for 16-18 year olds, unless they were at school. The CAMHS health professional who assessed Stephen was therefore unable to begin a therapeutic relationship with him. The professional felt, however, that the main problems requiring intervention and therapeutic input came from Stephen's alcohol and drug misuse. Fortunately, there was a local substance misuse service which accepted referrals for young people up to age 18 whatever their educational status, and Stephen could access their services.

Had Stephen's mental health problems not been related to substance misuse, he would not have met the criteria for a CAMHS service – and would have to have been referred to adult services. Because there are often marked differences in referral criteria for adult and young people's services, Stephen might then not have been able to access the adult services. This kind of gap in access to service provision means a significant number of young people may not have their mental health needs met.

2. Process and protocols

The Royal College of Nursing has the following standard on service provision.

- There should be a shared protocol between children's and adults' services, which is a genuinely shared arrangement, and is properly implemented.
- A transition should appear as seamless as possible to the young person.
- If possible, the young person should have the opportunity to visit the clinic in advance or meet the team who will take on their care. They should be given time and support to adjust to the transition, and the opportunity to say goodbye to staff and friends connected to the children's service before they leave.

Recommended standards:

- staff are designated within specialities to handle transitions. Such positions must be reallocated when the staff member leaves
- receiving team or staff member is identified in adult services to welcome and support young people entering their care
- to ensure effective and seamless transition, each health care area has agreed, accessible and known transitional care arrangements
- the timing and duration of transition is negotiated with the young person and agreed by all relevant parties
- care is handed over in a planned and collaborative way, through meetings between at least one key professional from both services and the young person (and their parents/carers if appropriate)
- services should consider the possibility of adopting a mentoring scheme where a young person who has already undergone the transition may be able to offer help and support to other new arrivals
- a comprehensive written summary of the CAMHS notes is available to the receiving service, with appropriate consent for the receiving service to help provide an overview of past mental health issues

- preparing the young person for transition includes explanation and, where possible, visits to the new clinic settings. Where young people will be exposed to adult clinical inpatient settings, preparation should include helping young people to understand how some patients may behave, so that they feel less anxious if they encounter difficult or frightening behaviour. In mental health care, preparatory visits are particularly important if the adult service is based in, or close to, adult inpatient settings, or is located in an older, traditional psychiatric hospital, which could be off-putting for a young person. To achieve this, one of the transition meetings could be held in the adult setting
- when a young person fails to attend appointments, professionals should explore why, and if necessary consider different methods of access for them.

Case study: Transition in Salford

In Salford, the paediatric and young person's diabetes team (YPDT) recognise that preparing young people for transition from a paediatric to an adult health care setting plays a vital part in ensuring a successful outcome. The three NHS trusts there work together to meet the needs of young people with diabetes, and have developed a young people's diabetes service which provides continuity of care for young people with diabetes following transition.

Transition begins when they enter the teenage diabetes clinic at around 13 years old. This clinic is run jointly by the YPDT and paediatric team. The paediatric diabetes specialist nurse (PDSN) is part of both teams, contributing to smooth transition and ensuring continuity of care.

Objectives for transition were based on the Diabetes National Service Framework (2001). The YPDT met these objectives by developing pathways of care for young people which ensure smooth transition. They involved service users in developing these pathways. The pathways include gateways through which young people may move in and out of the service (for example, during pregnancy). The design of the pathways recognises that young people are a vulnerable group undergoing many transitions during this stage of life, and that they need a service which continues to meet their needs into young adulthood.

The service has continued to develop, and its success is due to the collaboration between the paediatric team and YPDT. The consultant, nurse and dietician from the YPDT attend the teenage clinic and get to know young people many years before they move into adult services. Young people are also given a leaflet called *Moving on* which highlights what to expect from the transition process.

There is no age criteria for transition, but it normally occurs between 16-18 years old. The final decision of when to move rests with the young person, who is involved in all decisions about their care. The team recognises the impact that moving on has on parents/carers as well as the young people, and so also prepares parents for the transition.

Improving links with colleagues from adult services has helped further develop the young people's service and has improved the level of care which young people aged 16-25 receive. A survey of young people who have experienced transition to the young person's service indicated that they felt the transition worked well. This is now supported nationally by the introduction of Best Practice tariffs, ensuring all young people are safely transitioned to adult care.

3. Key workers' roles in transition

The Royal College of Nursing has the following standard on service provision.

- Services should designate a key worker or lead professional to work with a young person, their family and relevant services to plan the transition.
- Making transition a significant part of a professional's job description will ensure that the transition phase is not overlooked.

Recommended standards:

- transition roles are built into job plans, with role descriptions and selection processes
- all professionals and voluntary organisations are aware of each other's role in transition and the services offered
- staff in both services are aware of the anxiety that the transition may create for young people and parents, and that sometimes young people's mental health may suffer as a result
- parents or carers will have varying degrees of contact with, and responsibility for, the young person. It is important for key workers to understand this level of contact and also to agree appropriate communication channels in collaboration with the parents/carers and the young person. These discussions must include issues of confidentiality
- the young person understands how and when therapeutic contact will come to an end in one service, and agrees this with transition key workers.

Case study: adolescent nurse specialist in London

The preparation of young people and their families for transition to adult services is more efficient if there is a key worker to co-ordinate the process. One NHS hospital trust in London has appointed an adolescent nurse specialist whose job description includes the role of key co-ordinator for transition and transfer for young people.

Many of these young people have been patients of the paediatric service for many years. They view the transfer to adult services as frightening and have a sense of loss. Making sure that there is time for adequate and sensitive preparation for transfer alleviates their anxiety. Preparation gives the young person and their carers the knowledge and skills – and therefore the confidence – to engage with their new team and negotiate the maze that is adult services.

As transition is a key component of the adolescent nurse specialist's job description, they can allocate time for contact with all the agencies involved in a young person's care. Preparation can include visits to the adult unit to meet staff and look around the ward and outpatient areas, and the nurse can involve parents and carers in the process. The nurse specialist can also help the young person to identify what they feel is important to understand about themselves, their illness and the future.

Where there is no member of the team designated as lead and given dedicated time for this crucial service, the handling of the transition to adult services can be very hit and miss. Nurses are often the key professional in making the transition work successfully.

4. Education and training

The Royal College of Nursing has the following standard on service provision.

- Services need to be viewed in a new light to ensure they work most effectively for young people.
- Children's service models of working are often very different from those of adult services. Children's services generally focus on the child and the family, but adult services tend to focus on the individual and on parts of the body, with little or no reference to the family. So moving from one service to the other can be a very daunting prospect for young people.
- All staff should receive training about the needs of the young adult facing transition.
- Staff in adult services should be given training in issues relating to young people's developmental and wider social and emotional needs.

Recommended standards:

- adult service colleagues understand young people's issues, needs and risk areas
- transition is included in education and training programmes for both adult services and children and young people's services.

Case study: transition awareness in South Wales

At one university in South Wales, the pre-registration mental health nursing programme now includes a significant amount of time (six weeks) devoted to child and adolescent mental health issues. This includes half a day devoted to the issues of transition from children's to adult services. There is a post-registration module for a variety of professionals which also includes time to consider transition issues, and a multiprofessional conference also examined transition needs.

These training opportunities, together with the attention the Welsh Assembly Government is giving transition in various strategy documents, show how health services in South Wales are working to raise awareness and improve skills in handling the transition of young people to adult health services.

3

Young people's involvement

The Royal College of Nursing has the following standard on service provision.

- Involving young adults in co-designing and co-producing services is an opportunity for all professionals to engage with young people to support them to manage their own care and treatment. Involving young people provides valuable information to help with planning and providing accessible and appropriate services.
- Providing an acceptable and accessible service can improve adherence to therapeutic regimes and get young people involved in their health care services.

Recommended standards:

- young people are involved in the design of services for them – they take an active role and their recommendations are acted upon
- service staff are aware of, and make a conscious effort to improve, the resilience factors which support good health in young people – for example, parental involvement, and empowering young people
- teaching young people how to cope with the transition is part of the transition process
- people undergoing health transitions should have access to and advice about appropriate support, such as education advice and health education. Some specific organisations such as Connexions in England are available for information and advice to young people on a range of matters.

Case study: a bad experience of transition

“There was hardly any planning when I left the unit. I didn't know where I was going to go, or when. I went to a meeting to talk about leaving. My psychiatrist was there, but there were some other people there who I didn't know. I thought that they were just students or something, but it turned out that one of them was going to be my CPN.

“I didn't know what was going to happen to me. I had been on the unit for quite a while so I wasn't used to the outside world. I received no practical help to prepare me for living in the community. I didn't even know how to catch a bus!

“When I was being looked after by CAMHS, the staff encouraged us to think about the future, but the adult services were just there to treat us. It would have been useful to have a special service for young adults, so you can get used to the differences before hand.

“You may be 18, but if you are developmentally younger, and don't have the support of your family, being moved to an adult ward is even more distressing.”

4

The Royal College of Nursing calls for...

1. All staff working with young people and young adults to receive specific training to facilitate the transition between services.
2. Issues of confidentiality between professionals, young people and parents to be discussed and the outcome to be clearly documented.
3. Young people to receive support and education to prepare them to cope with transition.
4. Each health care area to have an agreed transition policy in place which clearly outlines transitional care arrangements.
5. Services to be designed around the needs of young people, rather than the needs of the service.

5

References

- Anderson Y (2006) CAMHS to Adult Transition. HASCAS Tools for Transition. *A Literature Review for Informed Practice*, London: Health and Social Care Advisory Service. Available at: www.hascas.org.uk (accessed 03/10/13).
- Blum RW, Garell D, Hodgman CH et al (1993) Transition from child-centred to adult healthcare systems for adolescents with chronic conditions. A position paper of the Society for Adolescent Medicine. *Journal of Adolescent Health*, 1993; 14, pp.570-6.
- Crowley, R, Wolfe, I, Lock, K and McKee, M (2011) *Improving the transition between paediatric and adult health care: a systematic review*, Arch Dis. Child.
- Department for Education and Skills, Department of Health (2006) *Transition: Getting it. Right for Young People*, London: The Stationery Office.
- Department of Health (2001) *National Service Framework for diabetes*, London: DH.
- Gleeson, H and Turner, G (2012) Transition to adult services, *Archives of Disease in Childhood*, 97, pp.86-92.
- National Co-ordination Centre for NHS Service Delivery and Organisation (2002) *A multi-method review to identify components of practice which may promote continuity in the transition from child to adult care for young people with chronic illness or disability* (Report for NCCSDO Research & Development), London: Kings College.
- Royal College of Nursing (2013) *Adolescent transition care. Guidance for nursing staff*, London: RCN.
- Royal College of Paediatrics and Child Health (2003) *Bridging the Gaps: Health Care for Adolescents*, London: RCPCH.
- Royal College of Paediatrics and Child Health (2010) *Not just a phase*, RCPCH: London.
- Society for Adolescent Medicine (2003) Transition to adult Health Care for Adolescents and Young Adults with Chronic Conditions – A position paper, *Journal of Adolescent Health*, 33, pp. 309-311.
- Street, Cathy and Herts, Barbara (2005) *Putting participation into practice: a guide for practitioners working in services to promote the mental health and well-being of children and young people*, London: YoungMinds.
- Welsh Assembly Government (2005) *National Service Framework for Children, Young People and Maternity services in Wales*, Cardiff: Welsh Assembly Government.
- Young Minds (2002) *Mental Health Services for Adolescents and Young Adults*, London: Young Minds.
- Review of Mental Health & Learning Disability (Northern Ireland) (July 2006) *Vision of a Comprehensive Child and Adolescent Mental Health Service*, Consultation Document. Available at: www.dhsspsni.gov.uk (accessed 03/10/13).
- Welsh Assembly Government (2004) *National Service Framework for Children Young People and Maternity Services in Wales*, Consultation Document, Cardiff:WAG.
- Welsh Assembly Government (2002) *Welsh Health Circular 125: Age Range of Patients Treated by Child and Adolescent Mental Health Services*, Cardiff:WAG.

6

Further reading

- Advances in Mental Health and Intellectual Disabilities (2011) Transition from children and adolescent to adult mental health services for young people with intellectual disabilities: a scoping study of service organisation problems, *Advances in Mental Health and Intellectual Disabilities*, 5.1, pp.9-16.
- Anthony P and Crawford P (2000) Service User Involvement in Care Planning: the mental health nurses perspective, *Journal of Psychiatric and Mental Health Nursing*, 7, pp.425-434.
- Archives of Disease in Childhood (2010) Building consensus on transition of transplant patients from paediatric to adult healthcare, *Archives of Disease in Childhood*, 95.8, pp.606-611.
- Archives of Disease in Childhood (2010) Young adults with ADHD: an analysis of their service needs on transfer to adult services, *Archives of Disease in Childhood*, 95.7, pp.513-517.
- Archives of Disease in Childhood (2011) Improving the transition between paediatric and adult healthcare: a systematic review, *Archives of Disease in Childhood*, 96.6, pp.548-553.
- Archives of Disease in Childhood (2011) Transition to adult services for children and young people with palliative care needs: a systematic review, *Archives of Disease in Childhood*, 96.1, pp.78-84.
- Audit Commission (1999) *Children in Mind*, London: Audit Commission Publications.
- British Journal of Nursing (2012) Child to adult: transitional care for young adults with cystic fibrosis, *British Journal of Nursing*, 21.14, pp.850-854.
- Buston K (2002) Adolescents with Mental Health Problems: What do they say about health services? *Journal of Adolescence*, 25, pp.231-242.
- Child: Care, Health & Development (2011) Implementing a transition pathway in diabetes: a qualitative study of the experiences and suggestions of young people with diabetes, *Child: Care, Health & Development*, 37.6, pp.852-860.
- Child: Care, Health & Development (2011), A social-ecological model of readiness for transition to adult-oriented care for adolescents and young adults with chronic health conditions, *Child: Care, Health & Development*, 37.6, pp.883-895.
- Children and Young People's Health Outcomes Forum (2012) *Children and young people's health outcomes strategy: report of the Children and Young People's Health Outcomes Forum*, London: DH.
- Davis M (2003) Addressing the needs of youth in transition to adulthood, *Administration and Policy in Mental Health*, 30 (6), pp.495-501.
- Department of Health (1999) *National Service Framework for Mental Health: Modern Standards and Service Models*, London: HMSO.
- Diabetes Care (2012) Health care transition in patients with type 1 diabetes: young adult experiences and relationship to glycaemic control, *Diabetes Care*, 35.8, pp.1716-1722.
- Diabetic Medicine (2011) Behind the scenes: the changing roles of parents in the transition from child to adult diabetes service, *Diabetic Medicine*, 28.8, pp.994-1000.
- Edwards K (2000) Service Users and Mental Health Nursing, *Journal of Psychiatric and Mental Health Nursing*, 7, pp.555-565.
- Fox A (2002) Physicians as barriers to successful transitional care, *International Journal of Adolescent Medicine and Health*, 14 (1), pp.3-7.
- Geenen S, Powers L and Sells W (2003) Understanding the role of health care providers during the transition of adolescents with disabilities and special health care needs, *Journal of Adolescent Health*, 32 (3), pp.225-233.
- Glover G, Dean R, Hartley C and Foster B (2003) *National child and adolescent mental health service mapping exercise*, London: DH.

- Green H, McGinnity A, Meltzer H, Ford T and Goodman R (2005) *Mental Health of Children and Young People in Great Britain*, Basingstoke: Palgrave Macmillan.
- Journal of Integrated Care (2012) Self-directed support and disabled young people in transition (part 1), *Journal of Integrated Care*, 20.1, pp.51-61.
- Journal of Integrated Care (2012) Self-directed support and disabled young people in transition (part 2), *Journal of Integrated Care*, 20.4, pp.223-230.
- Kazdin A (1993) Adolescent Mental Health: Prevention and Treatment Programs, *American Psychologist*, 48, pp.127-141.
- Kennedy, Ian (2010) *Getting it right for children and young people: overcoming cultural barriers in the NHS so as to meet their needs*, London: DH.
- McDonagh JE (2007) Transition of care from paediatric to adult rheumatology, *Arch. Dis. Child*, 92 (9), pp.802-807.
- Mental Health Practice (2011) Bridging the gap between children and adult services, *Mental Health Practice*, 15.2, pp.6-7.
- National Assembly for Wales (2001) *Child and Adolescent Mental Health Services: Everybody's Business*, Strategy Document, Cardiff: WAG.
- Nursing Children & Young People (2013) Transition from child to adult services for young people with cancer, *Nursing Children & Young People*, 25.1, pp.14-18.
- Nursing Standard (2012) In their words, *Nursing Standard*, 26.36, p.25.
- Phimister (2004) *CAMHS/Adult Transition Pilots*, Evaluation report, Coventry: Coventry University.
- Sawin et al (1999) Transitional Planning for Youth with Chronic Conditions, *National Academies of Practice Forum*, 1 (3), pp.183-196.
- Truman C, Raine P (2002) Experience and Meaning of User Involvement: Some explorations from a community mental health project, *Health and Social Care in the Community*, 10 (3), pp.136-143.
- Viner R (1999) Transition from paediatric to adult care. Bridging the gap or passing the buck? *Archives of Disabilities in Childhood*, 81, pp.271-275.
- Williams R, Muth Z and Emerson G (editors) (1996) *Voices in Partnership*, London: HMSO.
- YoungMinds, The UK's only national charity committed to improving the mental health and emotional well-being of all children and young people. Available at www.youngminds.org.uk/publications (accessed 03/10/13).



Royal College
of Nursing

The RCN represents nurses and nursing, promotes excellence in practice and shapes health policies

Updated November 2013

RCN Online

www.rcn.org.uk

RCN Direct

www.rcn.org.uk/direct

0345 772 6100

Published by the Royal College of Nursing
20 Cavendish Square
London
W1G 0RN

020 7409 3333

Publication code: 003 227

ISBN: 978-1-908782-70-0