

RCN position statement

The role of school nurses in providing emergency
contraception services in education settings

POLICY AND POSITION STATEMENTS



Acknowledgements

The RCN would like to thank the following for reviewing and revising this guidance:

Corina Christos, RCN Children and Young People's Staying Healthy Forum

Steering Committee Member & School Nurse Team Leader for Lambeth, Guys and St Thomas' Foundation Trust

Wendy Norton, RCN Women's Health Forum Steering Committee Member and Senior Lecturer, DeMontfort University, Leicester

Rita Devlin, Head of Professional Development, RCN Northern Ireland

Alison Davies, Associate Director Professional practice, RCN Wales

Fiona Smith, RCN Professional Lead for Children and Young People's Nursing

This publication is due for review in August 2020. To provide feedback on its contents or on your experience of using the publication, please email publications.feedback@rcn.org.uk

Publication

This is an RCN statement. A Policy/Position statement describes an explanation, a justification or a recommendation for a course of action that reflects the RCN's stance regarding a particular topic.

Description

This RCN position statement aims to clarify the responsibilities of school nurses when they are providing emergency hormonal contraception (EC) to students in education settings (schools, colleges, pupil referral units or any educational institution where there are young people).

Publication date: March 2018 Review date: August 2020

The Nine Quality Standards

This publication has met the nine quality standards of the quality framework for RCN professional publications. For more information, or to request further details on how the nine quality standards have been met in relation to this particular professional publication, please contact publicationsfeedback@rcn.org.uk

Evaluation

The authors would value any feedback you have about this publication. Please contact publicationsfeedback@rcn.org.uk clearly stating which publication you are commenting on.

RCN Legal Disclaimer

This publication contains information, advice and guidance to help members of the RCN. It is intended for use within the UK but readers are advised that practices may vary in each country and outside the UK. The information in this booklet has been compiled from professional sources, but its accuracy is not guaranteed. Whilst every effort has been made to ensure the RCN provides accurate and expert information and guidance, it is impossible to predict all the circumstances in which it may be used. Accordingly, the RCN shall not be liable to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by what is contained in or left out of this website information and guidance.

Published by the Royal College of Nursing, 20 Cavendish Square, London, W1G 0RN

© 2018 Royal College of Nursing. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, mechanical, photocopying, recording or otherwise, without prior permission of the Publishers. This publication may not be lent, resold, hired out or otherwise disposed of by ways of trade in any form of binding or cover other than that in which it is published, without the prior consent of the Publishers.

This statement

This position statement, which updates the RCN position statement published in 2006, and updated in 2012, aims to clarify the responsibilities of school nurses when they are providing emergency hormonal contraception (EC) to students in education settings (schools, colleges, pupil referral units or any educational institution where there are young people).

The Royal College of Nursing (RCN) believes that this clarification is necessary as the role of school nurses has extended to provide emergency contraception and advice on sexual health to school-age students in education settings, following OFSTED's report on sex and relationship education in schools (2006).

The RCN position

The RCN believes that school nurses with appropriate training and experience are able to assess the need for hormonal emergency contraception, and to supply this contraception using patient group directions (PGDs). In addition, school nurses should be appropriately skilled and competent to offer sexual health advice, and provide appropriate follow-up and referral to other health professionals. Nurses administering medicines under a PGD should be sure of their competence to do so.

School-based services and emergency contraception

An increasing number of UK schools now offer emergency contraception and sexual health advice (Office for Standards in Education, 2006) as part of a holistic sexual health service that aims to prevent the need for emergency contraception through the provision of education and advice'. These advice services are usually staffed by experienced school nurses or sexual health nurses. Equipped with the appropriate training and experience, they have acquired the skills necessary to assess the need for emergency contraception, provide sexual health advice and appropriate onward referral for follow-up, and to supply emergency contraception under PGDs.

Sexual health nurses in school-based settings work alongside the named school nurse. Teamwork is central to the success and credibility in the development of these services. School nurses are ideally placed for providing sexual health and contraceptive advice because of their relationship with young people: they are able to assess, supply

emergency contraception, condoms, chlamydia screening, according to local policy, provide appropriate onward referral to sexual health services, and ensure follow-up with boys and girls. School nurses can also contribute to the development and delivery of the PSHE (personal, social and health education) and SRE (sex and relationships education) programmes within schools to ensure young people have access to information.

The law on providing emergency contraceptives to under 16s - England and Wales

The 1985 House of Lords' ruling in the Gillick case (Gillick v West Norfolk and Wisbech AHA, 1986a) established the current legal position in England and Wales. This states that people under 16 years of age, who are fully able to understand what is proposed and its implications, are competent to consent to medical advice and treatment regardless of age (Gillick v West Norfolk and Wisbech AHA, 1986b). A doctor, nurse or pharmacist has discretion to give contraceptive advice or treatment to a person under 16 years of age without the knowledge or consent of the young person's parent or guardian provided that, in the opinion of the health professional, the young person is capable of understanding the nature and possible consequences of any treatment or procedure (see www.hpw.wales.gov.uk).

There are several important issues for school nurses to consider when they are consulted by young people under 16 years of age about emergency contraceptives (Department of Health, 2004). School nurses:

- must ensure that the young person understands the potential risks, benefits and alternatives of the treatment including efficacy, adverse effects, interactions, the need for additional contraceptive precautions and advice given
- are legally obliged to discuss the value of parental/carer support - young people should be encouraged to inform their parent/carer of the consultation and the school nurse should explore the reasons if the young person is unwilling to do so. If however, following counselling, the young person does not want to involve their parent/carer, the school nurse will respect their confidentiality
- should assess whether the young person's physical or mental health, or both, is likely to suffer if they do not receive emergency contraception

- must consider whether the young person's best interests would require the provision of emergency contraception without parental consent
- should ensure that they document consideration of these issues and any discussion with the client.

The Sexual Offences Act (Parliament, 2003; Sexual Offences (Scotland) Act, 2009) allows health professionals working with young people to provide confidential sexual health advice and treatment and does not affect the provision of confidential advice or treatment to young people under 16 years of age. Those providing contraceptive treatment to young people under 16 without parental consent will continue to assess competence on a case by case basis, and should work within the Fraser Guidelines (Gillick v West Norfolk and Wisbech AHA, 1986b).

Northern Ireland

Under the Sexual Offences (NI) Order (2008) the age of consent in Northern Ireland changed from 17 years to 16 years. School nurses should find out the educational institution's policy towards sexual health and agree the approach they will take, including signposting young people to relevant services if needed. Nurses should be prepared to offer a range of services that respect young people's rights and follow the educational ethos of the school.

Scotland

School nurses in Scotland are not able to provide emergency contraception, but should direct and support young people to the nearest reproductive health or sexual health clinic to access as needed. Under-16s can give their own consent to contraceptive treatment provided that, in the opinion of the clinician, they are capable of understanding the nature and possible consequences of the procedure or treatment (Brook Advisory Centres, 2004). For further information see the Age of Legal Capacity (Scotland) Act 1991 (Parliament, 1991).

Types of Emergency Contraception

There are currently three choices of emergency contraception available.

- The most effective method is the IUD, with a predicted failure rate of less than 1% (FSRH, 2017). The IUD can be fitted up to 120 hours after unprotected sexual intercourse or up to 5 days after the earliest predicted ovulation date.
- Levonelle 1500 (levonorgestrel) is licensed up to 72 hours post-intercourse but can be used off-licence up to 120 hours. The efficacy of Levonelle after 96 hours is uncertain.
- EllaOne (ulipristal acetate) is licensed for use up to 120 hours post-intercourse. It may have a lower failure rate than Levonelle 1500. It should be noted that available evidence suggests that oral emergency contraception administered after ovulation is ineffective (FSRH, 2017), Dixon (2016).

Considerations

School Nurses providing emergency contraception should recommend a barrier method of contraceptive as oral emergency contraceptives are likely to inhibit the effects of regular hormonal contraceptives for up to 16 days, (Hopkins 2014; FSRH, 2017).

Consideration should also be given to assessing the risk of transmission of sexually transmitted infections. Young people should be provided with information about STI screening and local specialist sexual health services (Hopkins 2014; FSRH, 2017).

If School Nurses are not able to administer emergency contraception, referral pathways should be in place to aid access. Awareness of whether local pharmacies will provide free emergency contraception to young people is valuable (Dixon 2016; FSRH, 2017).

Assessment and After Care

It is vital that any young person requesting emergency contraception is assessed in a systematic manner. A local proforma may be useful to guide the nurse through the consultation, and this could start by asking the relevant safeguarding questions. Hopkins (2014) recommends that this proforma could include the following:

- Assess competency to give consent – use Fraser guidelines.
- Consider child and/or vulnerable adult protection issues, including risk factors for child sexual exploitation.
- Record date and time of unprotected sexual intercourse.
- Record normal length of menstrual cycle.
- Record last menstrual period.
- Calculate predicted ovulation date.
- Discuss contraception method used, if any, and the reason for potential failure.

- Consider the need for pregnancy testing.
- Record the weight of the patient.
- Ask the patient about known allergies.
- Ask about medications taken within the past four weeks.
- Ask about previous use of emergency contraception.
- Ask about the number of episodes of unprotected sexual intercourse in the current menstrual cycle.
- Emphasise that the copper IUD is the most effective method of emergency contraception.
- Provide the patient with written information in relation to aftercare and side effects.

Confidentiality

The duty of confidentiality owed by a nurse or doctor to young people under 16 years of age is as great as the duty they owe to any other person (Nursing and Midwifery Council, 2015). School nurses must respect an explicit request from these clients that information should not be disclosed to particular people, except in exceptional circumstances, for example, when a nurse believes safeguarding issues are raised. In situations where they are unsure, school nurses are advised to seek advice in confidence from a named or designated safeguarding nurse. If a nurse is unable to provide emergency contraception but helps a young person to gain access to treatment, they must still maintain the client's confidentiality. Parents and school staff should not be informed without the young person's consent.

The Department of Health's best practice guidelines (2004) were challenged in 2005 by Mrs Sue Axon, who wanted the law changed so that girls under 16 years of age seeking an abortion must first have parental permission. In January 2006, Mr Justice Silber ruled in favour of the Department of Health, and stated that these guidelines were in line with current law.

Child protection

School nurses must be aware of, and follow, their Local Safeguarding Children Board (or equivalents in Northern Ireland and Scotland) procedures on child protection, as well as the procedures of their employing organisation. Key issues for safeguarding children and young people include assessing for the risk of child sexual exploitation. All nurses working with children and young people have a key role and responsibilities in safeguarding children and

should access annual training in child protection (RCN, 2014; RCPCH, 2014).

Working together with education providers

The school nursing service and the employing organisation must work together to develop guidelines and procedures for supplying emergency contraception in schools in consultation with local sexual health providers, the senior management team of the school, governors, parents/carers, and young people. It is good practice to inform all parents/carers that this service is available on the school premises.

Independent and boarding schools

The governing body of such schools should agree a policy on providing emergency contraception. This policy may include access to sexual health clinics and local pharmacists. Nurses can refer their pupils to the school doctor, who will provide a patient specific direction (prescription). Independent school nurses cannot use PGDs to administer contraception unless they have a formal, written, agreement with their local area NHS organisation.

If unable to provide a method of emergency contraception (and in this case under the local PGD) local referral mechanisms should facilitate timely access to a service that can provide the preferred method of contraception.

References

- Brook Advisory Centres (2004) *Under 16s: the law, public policy and best practice on sex, contraception and abortion in the UK*, London: Brook Publications.
- Department of Health (2004) *Best practice guidance for doctors and other health professionals on the provision of advice and treatment to young people under 16 on contraception, sexual and reproductive health*, London: DH. Available from www.dh.gov.uk (Web).
- Dixon V (2016) Special considerations when providing contraception advice and information to young people, *British Journal of School Nursing*, 9(4), pp.170-176.
- Faculty of Sexual and Reproductive Healthcare, Clinical Effectiveness Unit (2017) *Emergency contraception*, London: FSRH. Available from www.fsrh.org (Web).
- Gillick v West Norfolk and Wisbech Area Health Authority and the Department of Health and Social Security (England), Judgment*, [1986a] 3 All ER 402.
- Gillick v West Norfolk and Wisbech Area Health Authority and the Department of Health and Social Security (England), Judgment*, [1986b] AC 112 @169.
- Hopkins C (2014) Supplying emergency contraception to adolescents: the nurses's role, *Nursing Standard*, 29(13), pp.37-43.
- Nursing and Midwifery Council (2015) *The Code: standards of conduct, performance and ethics for nurses and midwives*, London: NMC. Available from www.nmc-uk.org (Web).
- Office for Standards in Education (2006) *Sex and relationships: a report from the Office of Her Majesty's Chief Inspector of Schools*, London: OFSTED. Available from www.ofsted.gov.uk (Web).
- Parliament (1991) *Age of Legal Capacity (Scotland) Act 1991*, London: HMSO. Available from www.legislation.gov.uk (Web).
- Parliament (2003) *Sexual Offences Act 2003*, London: HMSO. Available from www.legislation.gov.uk (Web).
- Royal College of Nursing (2014) *Safeguarding children and young people: every nurse's responsibility. Guidance for nursing staff (second edition)*, London: RCN.
- Royal College of Paediatrics and Child Health (2014) *Safeguarding children and young people: roles and competences for health care staff (intercollegiate document)*, London: RCP. Available from www.rcn.org.uk (Web).

Further reading

British Medical Association (2010) *Children and young people toolkit*, London: BMA. Available from www.bma.org.uk (Web).

Crown Office and Procurator Fiscal Service (2010) *Lord Advocate guidelines – offences committed by children*, Edinburgh: COPFS. Available from www.crownoffice.uk (Web).

Department for Education (2008) *Review of sex and relationship education (SRE) in schools: a report by the External Steering Group*, Runcorn: DE. Available from www.education.gov.uk/publications (Web).

Faculty of Sexual and Reproductive Healthcare, Clinical Effectiveness Unit (2017) *Emergency contraception*, London: FSRH, Available from www.fsrh.org (Web).

Family Planning Association (2016) *Under-16s: consent and confidentiality in sexual health services factsheet*, London: FPA. Available from www.fpa.org.uk (Web).

French K, Ward S, McCrea J and Nash T (2004) Emergency contraception, *Nursing Standard*, 18 (42), pp.49-53.

General Medical Council (2008) *Consent guidance: patients and doctors making decisions together*, London: GMC. Available from www.gmc-uk.org/guidance (Web).

General Medical Council (website) The GMC provides a comprehensive list of guidance from a variety of organisations that can be accessed from the *0-18 years guidance: other sources of information and guidance* section of its website, available at www.gmc-uk.org/guidance (Web).

House of Commons Library Briefing Paper *Sex and Relationship Education in Schools (England) [SN06103]* Published date: November 2017. Available from www.parliament.uk/business/publications/

National Institute of Health and Clinical Excellence (2014) *NICE Contraceptive services for under 25s Public health guideline [PH51]* Published date: March 2014, London: NICE. Available from www.nice.org.uk (Web).

Nursing and Midwifery Council (2010) *Standards for medicines management*, London: NMC. Available from www.nmc-uk.org (Web).

Royal College of Nursing (2009) *Sexual health competencies: an integrated career and competency framework for sexual and reproductive health nursing across the UK*, London: RCN.

Scottish Government (2010) *Guidance on the Sexual Offences (Scotland) Act 2009*, Edinburgh: TSG (Web only publication). Available from www.scotland.gov.uk/publications (Web).

Scottish Government (2010) *National guidance for child protection in Scotland*, Edinburgh: TSG. Available from www.scotland.gov.uk/publications (Web).

Scottish Government (2010) *National guidance – under-age sexual activity: meeting the needs of children and young people and identifying child protection concerns*, Edinburgh: TSG (Web only publication). Available from www.scotland.gov.uk/publications (Web)

Teenage Pregnancy Unit (2000) *Best practice guidance on the provision of effective contraception and advice services for young people*, London: DH. Available from www.wales.nhs.uk (Web).

Additional useful resources

Association of Chief Police Officers in Scotland (ACPOS) and the Scottish Government

ACPOS and the Scottish Government have developed a DVD to assist practitioners across services work with people in accordance with the National guidance – under-age sexual activity: meeting the needs of children and young people and identifying child protection concerns.

The DVD can be accessed via the Sexual Health National Government website: www.sexualhealthscotland.co.uk/healthprofessionals/secure/underage-activity/

Access to this resource is for professionals and is password protected due to the ages of the actors involved and the sensitivity of the material.

Brook

Brook (Brook Advisory Centres) is a registered charity that provides free confidential advice on sex and contraception for young people. Its website is packed with resources and information, visit www.brook.org.uk

Faculty of Family Planning and Reproductive Health Care, Royal College of Obstetricians and Gynaecologists Provides members with an advisory service.

Family Planning Association (FPA)

This sexual health charity works to improve the sexual health of all people, regardless of age, throughout the UK. Visit the FPA website at www.fpa.org.uk

Office for Standards in Education (Ofsted)

The Ofsted website contains a substantial resources and publications section, see www.ofsted.gov.uk

RCN Online Advice Guides

RCN members can access advice online on topics including consent, school nursing and revalidation by visiting the RCN website at www.rcn.org.uk/get-help/rcn-advice

Sex Education Forum (SEF)

The National Children's Board (NCB) is a leading national charity which supports children, young people and families. Its sex education forum (SEF) is a national authority on sex and relationships education (SRE), and is a unique collaboration of over 50 member organisations and 500 practitioners, with representatives from health, education, faith, disability and children's organisations. Visit www.ncb.org.uk/SEF

The RCN represents nurses and nursing, promotes
excellence in practice and shapes health policies

RCN Online
www.rcn.org.uk

RCN Direct
www.rcn.org.uk/direct
0345 772 6100

Published by the Royal College of Nursing
20 Cavendish Square
London
W1G 0RN

020 7409 3333

March 2018
Third edition
Publication code 006 358

