



Advanced Level Nursing Practice and Care of Pregnant and Postnatal Women

CLINICAL PROFESSIONAL RESOURCE



This document has been designed in collaboration with our members to ensure it meets most accessibility standards. However, if this does not fit your requirements, please contact corporate.communications@rcn.org.uk

RCN Legal Disclaimer

This publication contains information, advice and guidance to help members of the RCN. It is intended for use within the UK but readers are advised that practices may vary in each country and outside the UK. The information in this booklet has been compiled from professional sources, but its accuracy is not guaranteed. Whilst every effort has been made to ensure the RCN provides accurate and expert information and guidance, it is impossible to predict all the circumstances in which it may be used. Accordingly, the RCN shall not be liable to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by what is contained in or left out of this website information and guidance.

Published by the Royal College of Nursing, 20 Cavendish Square, London W1G 0RN

© 2021 Royal College of Nursing. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, mechanical, photocopying, recording or otherwise, without prior permission of the Publishers. This publication may not be lent, resold, hired out or otherwise disposed of by ways of trade in any form of binding or cover other than that in which it is published, without the prior consent of the Publishers.

Contents

Introduction	4
Principles of good practice	5
The role of the midwife.....	6
The role of advanced level nursing and care of pregnant and postnatal women.....	7
Appendix 1: Possible scenarios for practice.....	9
Appendix 2: Advanced level nurses should also refer to the relevant guidance in the UK country where they are practising	12
References and further reading.....	13

Introduction

The RCN recognises the important contribution advanced nursing practitioners and others working at advanced level make to practice in the expanding health and social care system. This guidance is to provide principles of good practice to clarify the role and care of pregnant and postnatal women*.

Advanced nursing practitioners** may find themselves providing care to women who are pregnant, for non-pregnancy related conditions that may be linked to, or have an impact on pregnancy, or be called on to provide care in an emergency. **In these instances, local evidence-based, agreed care pathways are essential, to ensure collaboration with midwifery care.**

This guidance has been informed by and developed in line with the Nursing and Midwifery Council's (NMC) standards and professional code.

*Whilst using the term women, the RCN recognises that in a gender diverse society people who do not necessarily identify themselves as women may become pregnant.

**The term advanced nursing practice (ANP), has been used in this context to cover all nurses working in such roles, not just those who have an ANP title. Advanced nursing practitioners and nurses working at advanced level in settings such as primary care settings (for example in GP practices, walk-in-care, urgent care centres, same day emergency care, emergency departments and outreach programmes) may find themselves providing care to women who are pregnant.

Principles of good practice

- All registrants must follow the NMC Code and other NMC standards that support best practice, using legislation as a baseline for practice decisions.
- All registrants are encouraged to work collaboratively to support best practice and care for all women who are pregnant, using their professional judgement based on best available evidence from contemporary sources such as the National Institute for Health and Care Excellence (NICE) pathways.
- It is good practice to have pre-agreed guidelines/pathways of care around areas of practice that involve someone who is pregnant, including, where necessary, the process for escalation to the most appropriate professional.
- All registrants must work within their scope of practice seeking advice and refer on to an appropriate colleague if necessary. For example, when the complexity of clinical decisions requires specialist knowledge.
- A useful distinction may be whether the condition is related to the pregnancy or not and if there is a need to treat in an emergency situation; even then, the RCN would recommend consideration of the possible impact on the pregnancy and the fetus (particularly with medication) and consult appropriately.
- A member of the midwifery or obstetric team is available 24 hours a day by contacting local maternity units, who should be consulted/referred to and updated following the care episode.
- All pregnant women (who wish to progress their pregnancy), should have a named midwife throughout their pregnancy, labour and postnatal period and women should commence their midwifery care at the earliest opportunity. Collaboration is important, therefore delivery of care to a pregnant woman must be communicated to the named midwife either by direct communications or via the health care and maternity records.
- Advanced nursing practitioners may be required to care for women in the early stages of pregnancy who are undecided about continuing with the pregnancy or who have chosen to terminate their pregnancy. Appropriate support and information in relation to NICE guidelines for abortion care (NICE, 2019) should be provided.
- It is assumed that if working in an area requiring specialist knowledge that all nurses will be competent in understanding the potential impact of specific conditions on pregnancy and during labour.

Care of the pregnant woman is the domain of midwives and medical practitioners; however, this is not in isolation to other health care professionals, including to advanced level practitioners. It is imperative that all health care professionals understand their own roles, limits and boundaries of practice in light of their registration and work within their scope/competence at all times.

The role of the midwife

Midwifery is a distinct regulated profession and has its own standards of proficiency (NMC, 2019) which specify the knowledge, understanding and skills that midwives must demonstrate at the point of registration when caring for women across the maternity journey, as well as newborn infants, partners and families across all care settings. Midwives are accountable as the lead professional and have a unique relationship with the women, newborn infants, partners and families they care for and support.

A midwife's scope of practice means: *'the range of things that the midwife has the skills, knowledge and proficiency to do'* and it should not be confused with *'protected function'* which is *'something that only midwives can legally do'*.

The title of midwife is protected in law and there is a protected legal function associated with the title (NMC, 2020a). Only the following people may attend a woman in childbirth:

- a midwife
- a registered medical practitioner
- a student undergoing training with a view to becoming a midwife or a medical practitioner, as part of an approved course of practical instruction.

The exception to this is when care requirements are of a sudden or urgent necessity.

The role of advanced level nursing and care of pregnant and postnatal women

Advanced level nurse practitioners are experienced, highly educated registered nurses who manage the overall clinical care of their patients.

Advanced practice is defined as: *“Advanced practice is a level of practice, rather than a type of practice. Advanced nurse practitioners are educated at Masters level in clinical practice and have been assessed as competent in practice using their expert clinical knowledge and skills. They have the freedom and authority to act, making autonomous decisions in the assessment, diagnosis and treatment of patients.”* (RCN, 2018)
[rcn.org.uk/professional-development/advanced-practice-standards](https://www.rcn.org.uk/professional-development/advanced-practice-standards)

Advanced practice is a level of practice rather than a specific role. Advanced practice is not recorded by the NMC, but the NMC’s Code (2018a) and the standards of proficiency for nursing (NMC, 2018b) are important factors in thinking about scope of practice as an advanced level nursing practitioner. Advanced nursing practitioners are required to stay up to date in their own area of nursing practice, apply the principles of evidence-based practice, and recognise the limits of their knowledge and skills.

The NMC Code states:

- 5 Work co-operatively - To achieve this, you must:
 - 5.1 respect the skills, expertise and contributions of your colleagues, referring matters to them when appropriate
- 13 Recognise and work within the limits of your competence
 - 13.5 Complete the necessary training before carrying out a new role
- 18 Advise on, prescribe, supply, dispense or administer medication within the limits of your training and competence, the law, our guidance and other relevant policies, guidance and regulations
 - 18.1 Prescribe, advise on, or provide medicines or treatment, including repeat prescriptions (only if you are suitably qualified) if you have enough knowledge of that person’s health and are satisfied that the medicines or treatment serve that person’s health needs.

If an advanced level nursing practitioner is also a registered midwife they will be able to provide midwifery care, as long as they meet the NMC requirements for registration as a midwife and have appropriate indemnity arrangements in place for the practice they take on, as required of all professionals.

A collaborative, multidisciplinary team approach is required when seeing pregnant and postnatal women and their babies, with referral pathways for midwifery, obstetric or neonatal advice and care, as needed. Where there is no midwife, good links and communication systems need to be in place for easy referral and for recording and communicating about the care given. Health Education England (2020) expects advanced level nursing practitioner to understand the referral process to midwifery care.

Appendix 1 provides some possible scenarios for practice.

Appendix 2 outlines the relevant ANP guidance in England, Scotland, Wales and Northern Ireland.

Independent prescribers meet the prescribing competency framework of the Royal Pharmaceutical Society (2020) and are familiar with the risks and benefits when undertaking prescribing activities. All medicines prescribed to pregnant or postnatal women need to be considered in light of any potential impact on the fetus, the pregnant woman and her baby, if she is breastfeeding.

Appendix 1: Possible scenarios for practice

Prescribing in pregnancy: the role of independent and supplementary nurse prescribers

Nursing practice has advanced to encompass prescribing and it is important to have clarity around roles and responsibilities for different groups of patients and clients. This section focuses on the role of nurses who hold the nurse independent prescriber qualification in relation to prescribing medicines to pregnant and postnatal women.

This section does not apply to midwives who hold a nurse independent prescriber qualification.

These scenarios have been developed taking account of the principles of good practice detailed above.

The RCN would always recommend that nurses advise all pregnant women to book their pregnancy with their midwife as soon as possible, if they have not already done so.

Urgent care/emergency departments/same day emergency care

Nurses working in urgent care/emergency departments/same day emergency care should have clear pathways of care in place to support best practice, (for example in threatened miscarriage, hyperemesis or postpartum haemorrhage). Immediate and emergency care (for example, prescribing pain relief or managing an emergency), should always be carried out within their scope of practice, whilst enabling immediate referral to specialist care.

Nurses can work in environments where they see patients independently, including women who are pregnant. In such circumstances it will be necessary to take a full history to establish the nature of the complaint that has brought the women to the practice, explaining that further referral may be necessary. If the condition relates to the woman's pregnancy, then the nurse must treat within their scope/competence and agreed job role, referring to a midwife or doctor if appropriate.

Other non-pregnancy related conditions may be treated, however, the RCN would recommend that the nurse advises all pregnant women to seek advice from their named midwife at the earliest convenience, even if the condition appears to be unrelated to the pregnancy.

Pre-agreed pathways, which have included midwifery and/or obstetric engagement, will enable clarity around local practice.

Early pregnancy clinics

Nurses working in early pregnancy clinics may see women with threatened miscarriages. There should be pre-agreed guidelines and standards, which include midwifery and/or obstetric input, on managing this. Independent prescribers should not prescribe medicinal products for pregnant women who need to manage their threatened miscarriage, unless they are working within their scope of practice and competence and agreed job role. They should also have agreed pathways of care (between medical, nursing and midwifery personnel) to ensure best practice.

Long-term conditions

Many long-term conditions can impact on pregnancy and pregnancy can influence the status and/or progression of a disease/condition.

Collaborative working with the multi-professional team to establish appropriate care pathways will be critical to enhance the quality of the woman's care experience, as well as ensuring continuity of care after birth.

Many maternity units have midwives who specialise in looking after women with diabetes and other long-term conditions.

Provided the woman is under the care of a midwife, obstetrician and/or specialist team, a baseline assessment would be required in order to determine the best care pathway for her. This should include how best to maintain continuity of care through the pregnancy and birth with her own health centre or general practice

In respect to her long-term condition, and provided there is collaborative working with the midwifery team and/or obstetrician, an independent prescriber may prescribe for a woman who is pregnant, in relation to her long-term condition, if that nurse has the competence to do so.

Working in general practice: folic acid

The RCN believes that independent prescribers working in general practice could prescribe folic acid to a woman who is pregnant if it is within their scope/competence of practice. The woman should book to see the midwife as early as possible.

Sexually transmitted infections (STIs) and prescribing

Sometimes pregnant women who have an STI state that they do not wish to disclose their diagnosis to other health professionals.

Patient confidentiality is a key principle of good nursing practice, as is professional judgement. Any treatment and care the woman is receiving outside her midwifery and/or obstetric care has the potential to impact on the progress of her pregnancy and labour, therefore women should always be encouraged to share their treatment plan.

However, it may be necessary to treat women diagnosed with a sexually transmitted infection who choose not to inform their GP, midwife or obstetrician. Whilst every effort should be made to encourage the woman to seek midwifery care immediately, and share her condition and diagnosis with the midwife/obstetrician, her confidentiality has to be respected in line with the NMC Code.

It is assumed that if working in an area requiring specialist knowledge that all nurses will be competent in understanding the potential impact of sexually transmitted infections on a pregnancy and during labour.

Postpartum care

The postnatal period or puerperium normally lasts for six weeks and is the time after birth when the woman's body, including hormone levels and uterus size, returns to a non-pregnant state.

The midwife is responsible for the woman's care during this time. All women will have regular contact with their midwife for at least the first 10 days after the birth and receive ongoing care from the health visiting team.

Minor injuries or illnesses may be treated by an advanced level practitioner; a suspected post-pregnancy sepsis should be referred to appropriate emergency medical care with referral also to obstetrics and gynaecology.

Usual concerns about prescribing for women who are breastfeeding should be observed. Refer to the British National Formulary for advice.

Appendix 2: Advanced nursing practitioners should also refer to the relevant guidance in the UK country where they are practising

In **England**, the systems regulator Care Quality Commission (CQC) states that advanced nursing practitioners cannot:

- provide care to pregnant women if this involves assessment of the pregnancy, unless they are also a practising midwife meeting the NMC requirements of registration
- sign Fit Notes (only medical practitioners can do this currently by law however this is under review and likely to change).

Nigel's surgery 66: Advanced Nurse Practitioners (ANPs) in primary care (2018): [cqc.org.uk/guidance-providers/gps/nigels-surgery-66-advanced-nurse-practitioners-anps-primary-care](https://www.cqc.org.uk/guidance-providers/gps/nigels-surgery-66-advanced-nurse-practitioners-anps-primary-care)

Northern Ireland's Advanced Nursing Practice Framework was designed to support advanced nurse practitioners to develop as professional nurse leaders in their area of clinical practice and to provide clarity about the role (NIPEC, 2016).

Advanced Nursing Practice Framework: Supporting Advanced Nursing Practice in Health and Social Care Trusts Northern Ireland Practice and Education Council for Nursing and Midwifery (2016): [health-ni.gov.uk/sites/default/files/publications/health/advanced-nursing-practice-framework.pdf](https://www.health-ni.gov.uk/sites/default/files/publications/health/advanced-nursing-practice-framework.pdf)

In **Wales**, advanced practitioners are at the frontline of delivering services and care to patients. The National Leadership and Innovation Agency for Health Care (NLIAH) Framework (NLIAH, 2015) is an essential enabling tool to support current and future role development. In 2021, the NLIAH framework is currently under review by Health Education and Improvement Wales.

Framework for Advanced Nursing, Midwifery and Allied Health Professional Practice in Wales (2015): www.nwssp.wales.nhs.uk/sitesplus/documents/1178/NLIAH%20Advanced%20Practice%20Framework.pdf

In **Scotland**, advanced nursing practitioners play a key part in developing and sustaining the capacity and capability of the health and care workforce of the future. The full role definition, education requirements and core competencies of an advanced nursing practitioner is described in the *Transforming Nursing, Midwifery and Health Professions (NMaHP) Roles, Paper 2 Advanced Practice*.

Advanced Nursing Practice (2020): [nes.scot.nhs.uk/our-work/advanced-nursing-practice-anp](https://www.nes.scot.nhs.uk/our-work/advanced-nursing-practice-anp)

Transforming Nursing, Midwifery and Health Professions Roles: advance nursing practice (2017): [gov.scot/publications/transforming-nursing-midwifery-health-professions-roles-advance-nursing-practice/](https://www.gov.scot/publications/transforming-nursing-midwifery-health-professions-roles-advance-nursing-practice/)

References and further reading

Article 45 The Nursing and Midwifery Order (2001)

<https://www.legislation.gov.uk/ukxi/2002/253/article/45/made>

Health Education England (2020) *Advanced Practice Frameworks*, London: HEE. Available at: www.hee.nhs.uk/our-work/advanced-clinical-practice/multi-professional-framework (accessed 10 May 2021)

Health Education England (2020) *Core Capabilities Framework for Advanced Clinical Practice (Nurses) Working in General Practice/Primary Care in England*, London: HEE. Available at: www.hee.nhs.uk/sites/default/files/documents/ACP%20Primary%20Care%20Nurse%20Fwk%202020.pdf (accessed 10 May 2021)

NHS Wales (2018) *Framework for Advanced Nursing, Midwifery and Allied Health Professional Practice in Wales*. Available at: www.nwssp.wales.nhs.uk/sitesplus/documents/1178/NLIAH%20Advanced%20Practice%20Framework.pdf (accessed 12 May 2021)

National Institute for Health and Care Excellence (2019) NICE guideline [NG140] *Abortion Care*, London: NICE. Available at: www.nice.org.uk/guidance/ng140 (accessed 10 May 2021)

Nursing and Midwifery Council (2018a) *The Code: Professional standards of practice and behaviour for nurses, midwives and nursing associates*, London: NMC. Available at: www.nmc.org.uk/globalassets/sitedocuments/nmc-publications/nmc-code.pdf (accessed 10 May 2021)

Nursing and Midwifery Council (2018b) *Future Nurse: Standards of proficiency for registered nurses*, London: NMC. Available at: www.nmc.org.uk/globalassets/sitedocuments/standards-of-proficiency/nurses/future-nurse-proficiencies.pdf (accessed 10 May 2021)

Nursing and Midwifery Council (2019) *Standards of Proficiency for Midwives*, London: NMC. Available at: www.nmc.org.uk/globalassets/sitedocuments/standards/standards-of-proficiency-for-midwives.pdf (accessed 10 May 2021)

Nursing and Midwifery Council (2020a) *Practising as a Midwife in the UK*, London: NMC. Available at: www.nmc.org.uk/globalassets/sitedocuments/nmc-publications/practising-as-a-midwife-in-the-uk.pdf (accessed 10 May 2021)

Nursing and Midwifery Council (2020b) *Professional Indemnity Arrangement*, London: NMC. Available at: www.nmc.org.uk/registration/your-registration/professional-indemnity-arrangement (accessed 10 May 2021)

Royal College of Nursing (2018) *RCN Standards for Advanced Level Nursing Practice*, London: RCN. Available at: www.rcn.org.uk/professional-development/publications/pub-007038 (accessed 10 May 2021)

Royal College of Nursing (2019) *Prescribing in Pregnancy: the role of independent and supplementary nurse prescribers* [web]. Available at: www.rcn.org.uk/clinical-topics/medicines-management/prescribing-in-pregnancy (accessed 10 May 2021)

Royal College of Nursing (2020) *Medicines Management* [web]. Available at: www.rcn.org.uk/clinical-topics/medicines-management (accessed 10 May 2021)

The Royal Pharmaceutical Society good practice guidance:

www.rpharms.com/resources/pharmacy-guides/medicines-optimisation-hub

www.rpharms.com/recognition/setting-professional-standards/safe-and-secure-handling-of-medicines/professional-guidance-on-the-safe-and-secure-handling-of-medicines

www.rpharms.com/resources/frameworks/prescribers-competency-framework

RCN quality assurance

Publication

This is an RCN practice guidance. Practice guidance are evidence-based consensus documents, used to guide decisions about appropriate care of an individual, family or population in a specific context.

Description

This guidance provides principles of good practice to clarify the role of nurses working in advanced nursing practice roles when providing care for pregnant and postnatal women.

Publication date: May 2021 Review date: May 2024

The Nine Quality Standards

This publication has met the nine quality standards of the quality framework for RCN professional publications. For more information, or to request further details on how the nine quality standards have been met in relation to this particular professional publication, please contact publications.feedback@rcn.org.uk

Evaluation

The authors would value any feedback you have about this publication. Please contact publications.feedback@rcn.org.uk clearly stating which publication you are commenting on.

The RCN represents nurses and nursing, promotes
excellence in practice and shapes health policies

Published by the Royal College of Nursing
20 Cavendish Square
London
W1G 0RN
rcn.org.uk

May 2021
009 756

